




Location Plan



Legend

 Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.

0 0.5 1 km



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend

- Swale Borough
- Environment Agency Flood Defence Condition Grading**
- | | |
|-----------|-----------|
| Very Good | Poor |
| Good | Very Poor |
| Fair | Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend


Swale Borough

Environment Agency Flood Defence Condition Grading

- Very Good
- Good
- Fair
- Poor
- Very Poor
- Unknown

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan

Legend

Swale Borough

Environment Agency Flood Defence Condition Grading

Very Good

Good

Fair

Poor

Very Poor

Unknown

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:

Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.

00.51 km

Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL

SFRA: APPENDIX H.4


ENVIRONMENT AGENCY FLOOD DEFENCE

CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


JBA consulting

Swale BOROUGH COUNCIL
Making Swale a better place





Location Plan



Legend

- Swale Borough
- Environment Agency Flood Defence Condition Grading**
- | | |
|-----------|-----------|
| Very Good | Poor |
| Good | Very Poor |
| Fair | Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.




Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend


Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|-----------|-----------|
| Very Good | Poor |
| Good | Very Poor |
| Fair | Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend

 Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.




Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend


Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|-----------|-----------|
| Very Good | Poor |
| Good | Very Poor |
| Fair | Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.




Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend

Swale Borough

Environment Agency Flood Defence Condition Grading

- Very Good
- Good
- Fair
- Poor
- Very Poor
- Unknown

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.

0 0.5 1 km



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend

 Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL SFRA: APPENDIX H.4 ENVIRONMENT AGENCY FLOOD DEFENCE CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend




Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|-----------|-----------|
| Very Good | Poor |
| Good | Very Poor |
| Fair | Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.




Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL SFRA: APPENDIX H.4 ENVIRONMENT AGENCY FLOOD DEFENCE CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend

- Swale Borough
- Environment Agency Flood Defence Condition Grading**
- | | |
|-----------|-----------|
| Very Good | Poor |
| Good | Very Poor |
| Fair | Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



Location Plan



Legend

- Swale Borough
- Environment Agency Flood Defence Condition Grading**
- Very Good
 - Good
 - Fair
 - Poor
 - Very Poor
 - Unknown

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.




Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



Location Plan



Legend

Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|-----------|-----------|
| Very Good | Poor |
| Good | Very Poor |
| Fair | Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.

0 0.5 1 km



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan

Legend

Swale Borough

Environment Agency Flood Defence Condition Grading

Very Good	Poor
Good	Very Poor
Fair	Unknown

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:

Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.

00.51 km


Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



Location Plan



Legend

-  Swale Borough
- Environment Agency Flood Defence Condition Grading**
- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.




Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



Location Plan



Legend

 Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.

0 0.5 1 km



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

**SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION**

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan

Legend

Swale Borough

Environment Agency Flood Defence Condition Grading

Very Good	Poor
Good	Very Poor
Fair	Unknown

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:

Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.

0

0.5

1 km

Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL

SFRA: APPENDIX H.4


ENVIRONMENT AGENCY FLOOD DEFENCE

CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



Location Plan



Legend

 Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL SFRA: APPENDIX H.4 ENVIRONMENT AGENCY FLOOD DEFENCE CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend


 Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend



Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|-----------|-----------|
| Very Good | Poor |
| Good | Very Poor |
| Fair | Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL SFRA: APPENDIX H.4 ENVIRONMENT AGENCY FLOOD DEFENCE CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend

 Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered.

Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:


Very Good - Cosmetic defects that will have no effect on performance.

Good - Minor defects that will not reduce the overall performance of the asset.

Fair - Defects that could reduce performance of the asset.

Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.

Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.


SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.





Location Plan



Legend


 Swale Borough

Environment Agency Flood Defence Condition Grading

- | | |
|---|---|
|  Very Good |  Poor |
|  Good |  Very Poor |
|  Fair |  Unknown |

Notes

Environment Agency defences are shown with a standard of protection which is against a 5% AEP event or more. Natural defences which may arise, for instance due to the presence of naturally high ground adjacent to a settlement, have been considered. Formal structural defences are given a rating by the Environment Agency based on a grading system for their condition from very poor to very good. There were no defences in Swale with a rating of very good. The ratings are defined as below:
Very Good - Cosmetic defects that will have no effect on performance.
Good - Minor defects that will not reduce the overall performance of the asset.
Fair - Defects that could reduce performance of the asset.
Poor - Defects that have potential to deteriorate and significantly reduce performance of asset. Further investigation required.
Very Poor - Severe defects resulting in significant or complete performance failure.



Contains Ordnance Survey data © Crown copyright and database right 2026. Contains public sector information licensed under the Open Government Licence v3.0.

SWALE BOROUGH COUNCIL
SFRA: APPENDIX H.4
ENVIRONMENT AGENCY FLOOD DEFENCE
CONDITION

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

