



Indicates existing windows to be replaced with new aluminium double glazed unit to achieve 1.4 wm 2 k colour: White to match existing

Indicates existing doors to be replaced with new aluminium double glazed units to achieve 3.6wm 2 k colour: White to match existing

Indicates existing windows to be replaced with new timber double glazed units to achieve 1.8wm

2 k colour: White to match existing Indicates existing main door to be refurbished/replaced with new timber double glazed units to achieve 3.6wm 2 k colour: White

The information on this drawing is still subject to the final co-ordination of structure / sub-structure, M&E, FF&E and kitchen design and to review with the Building Control Body and the Fire Specialists.

required. Results are awaited from the following surveys:

Refer to Architect's schedule of works and specifications for more details regarding the works on the individual elements.

22/03/2021 GM 10/02/2012 DLH

Use figured dimensions only. All levels and dimensions to be checked on site. This drawing is to be read in conjunction with all other relevant drawings and specifications. © Noviun Limited All rights reserved

## NOVIUN ARCHITECTS

Corn Exchange Baffins Lane Chichester PO19 1BF

T 01243 558750

info@noviun.com www.noviun.com

Project Name: Masters House

Dwg Reference:

Proposed GA Elevations

Checked: Checker Scale: 1:100@A1 Project Issue Date: March 2021

Project: Originator: Volume: Level: Type: Role: Number: Z0513 - NOV - V1 - ZZ - DR - A - 04000

Suitability Description: Issued for Tender

Revision: Revision Description: INFORMATION

Noviun Job No: Z0513

Orig Paper Size: